Professional vacuum sealers

Tightly crafted and functional designed plug & play vacuum sealers.

Our machines are 'Made in Holland'. They combine a tightly crafted and functional designed with optimum ease of operation and a long life span. Installation is a matter of plug & play. Smart designs ensure hygiene standards are maintained at all times.



CannaTechnics vacuum sealers enables you to control the vacuum packaging cycle in 3 different ways: by time in seconds, by a sensor that detects the pre-set percentage of end vacuum and by a liquid sensor that detects the damp that evaporates when liquids start boiling. For a maximum and deep end vacuum, use a professional machine with a vacuum chamber. By extracting the air from the product, bag and chamber, the shelf life is extended and both food and non-food are protected against external elements. The control of the vacuum packaging cycle has three different ways:

Time control
Set the time of the vacuum packaging cycle and the machine stops extracting air as soon as the pre-set time has been reached. Perfect for your basic but professional packaging needs.

Sensor control
With Sensor control, the machine automatically stops extracting air as soon as the pre-set vacuum percentage has been detected.

Liquid control
Wet and liquid products quickly reach their boiling point during the vacuum packaging cycle.

Vacuum packing
To optimize protection against external influences
keeping away moisture from the product.
Vacuum sealers and food grade flower storage totes with lids for secure room flower storage.

CannaTechnics
Kijckerweg 95, 2678 AC De Lier, Postbus 6, 2678 ZG De Lier
+31 (0)174 794 010, info@cannatechnics.com
www.cannatechnics.com

Jumbo series

'For Jumbo results'

All Jumbo models are standard equipped with Time control, 1 program memory and Double or Cut-off seal.

Benefits

- equipment is ETL certified and compliant with UL, CSA and CE standards
- Equipped with a Busch vacuum pump
- Standard with 1 program memory
- Standard Time control
- Free options: Cut-off and Wide seal
- Option: 2nd seal bar (J42, J42XL, J42XXL)
- 3 years warranty on parts

Options

- 50 Hz / 60 Hz
- Seal systems, for maximum protection
- Sensor control
- Seal configuration
- High lid, to vacuum pack higher products



Jumbo 42XXL

Largest Jumbo table-top in the range.
Big chamber and pump capacity 21 m³/h.

Chamber dimensions (L x W x H):	460 x 420 x 180 mm
Machine dimensions (L x W x H):	616 x 493 x 468 mm
Seal bar (L):	420 mm
Pump capacity:	21 m³/h
Machine cycle:	20-40 sec



Jumbo 42XL

One of the larger Jumbo table-tops with more space in the vacuum chamber

Chamber dimensions (L x W x H):	460 x 420 x 180 mm
Machine dimensions (L x W x H):	616 x 493 x 440 mm
Standard seal bar (L):	420 mm
Pump capacity:	16 m³/h
Machine cycle:	20-40 sec

CannaTechnics
Kijckerweg 95, 2678 AC De Lier, Postbus 6, 2678 ZG De Lier
+31 (0)174 794 010, info@cannatechnics.com
www.cannatechnics.com

Jumbo 42

Seal bar of 420 mm and 16 m³/h pump.
Worldwide the most popular table-top model



Chamber dimensions (L x W x H):	370 x 420 x 180 mm
Machine dimensions (L x W x H):	528 x 493 x 440 mm
Standard seal bar (L):	420 mm
Pump capacity:	16 m³/h
Machine cycle:	20-40 sec

Jumbo 35

Seal bar of 350 mm and 16 m³/h pump.
Similar to Jumbo 30, but with more pump capacity



Chamber dimensions (L x W x H):	370 x 350 x 150 mm
Machine dimensions (L x W x H):	554 x 450 x 405 mm
Seal bar (L):	350 mm
Pump capacity:	16 m³/h
Machine cycle:	15-30 sec

Jumbo 30

Seal bar of 350 mm and 8 m³/h pump.
Compact vacuum packaging machine for a professional result



Chamber dimensions (L x W x H):	370 x 350 x 150 mm
Machine dimensions (L x W x H):	554 x 450 x 365 mm
Seal bar (L):	350 mm
Pump capacity:	8 m³/h
Machine cycle:	25-60 sec

CannaTechnics
Kijckerweg 95, 2678 AC De Lier, Postbus 6, 2678 ZG De Lier
+31 (0)174 794 010, info@cannatechnics.com
www.cannatechnics.com

Jumbo Plus



Fast machine with flat lid and 8 m³/h pump.
Similar to Mini Jumbo, but with a bigger pump

Chamber dimensions (L x W x H):	310 x 280 x 85 mm
Machine dimensions (L x W x H):	450 x 334 x 305 mm
Seal bar (L):	280 mm
Pump capacity:	8 m³/h
Machine cycle:	15-35 sec

Mini Jumbo



Smallest vacuum sealer with flat lid. Smallest vacuum packaging machine for professional packaging

Chamber dimensions (L x W x H):	310 x 280 x 85 mm
Machine dimensions (L x W x H):	450 x 334 x 305 mm
Seal bar (L):	280 mm
Pump capacity:	4 m³/h
Machine cycle:	25-60 sec

CannaTechnics
Kijckerweg 95, 2678 AC De Lier, Postbus 6, 2678 ZG De Lier
+31 (0)174 794 010, info@cannatechnics.com
www.cannatechnics.com

Boxer series

'The industries best vacuum machines'

Boxer vacuum packaging machines ensure an easy and secure vacuum packaging process. With the unique possibility to store your settings in the 10 program memory, standard on every Boxer.

Benefits

- Equipment is ETL certified and compliant with UL, CSA and CE standards
- 3 years warranty on parts
- All machines are equipped with a Busch vacuum pump

Advanced Control System

- Standard Sensor control
- Compatible with label printer
- Standard with 20 program memory
- 4.7" LCD screen
- HACCP compliance
- USB connection
- Multi-level access
- Intuitive operation

Options

- 50 Hz / 60 Hz
- Seal systems for maximum protection
- Gas Flush
- Sensor control
- Advanced control
- Seal configuration
- Liquid control

Boxer 42XL

Chamber 460 x 420 x 180 mm.
Solid table-top with maximum pump capacity.

Chamber dimensions (L x W x H):	460 x 420 x 180 mm
Machine dimensions (L x W x H):	616 x 493 x 440 mm
Seal bar (L):	420 mm
Pump capacity:	21 m^3/h
Machine cycle:	15-35 sec



CannaTechnics
Kijckerweg 95, 2678 AC De Lier, Postbus 6, 2678 ZG De Lier
+31 (0)174 794 010, info@cannatechnics.com
www.cannatechnics.com

Boxer 42

Chamber 370 x 420 x 180 mm.
Worldwide the most popular Boxer table-top model.

Chamber dimensions (L x W x H):	370 x 420 x 180 mm
Machine dimensions (L x W x H):	528 x 493 x 440 mm
Seal bar (L):	420 mm
Pump capacity:	21 m³/h
Machine cycle:	15-35 sec



Boxer 35

Basic model, full options available. Smallest table-top Boxer model, with 16 m³/h pump and 350 mm seal bar.

Chamber dimensions (L x W x H):	370 x 350 x 150 mm
Machine dimensions (L x W x H):	554 x 450 x 405 mm
Standard seal bar (L):	350 mm
Pump capacity:	16 m³/h
Machine cycle:	15-30 sec



CannaTechnics
Kijckerweg 95, 2678 AC De Lier, Postbus 6, 2678 ZG De Lier
+31 (0)174 794 010, info@cannatechnics.com
www.cannatechnics.com